


Sustainable Wood for Long Lasting Projects





The Kebony Deck Board

Scan for more product info



Profile	Product Number	Product Name	Actual Dimensions	Lengths
5 ½"	#2637	5/4x6 Kebony Deck Board	7/8" x 5 ½"	10', 12', 14', 16'
5 1/2"	#2638	5/4x6 Kebony Deck Board One–Sided Profile	7/8" x 5 ½"	14'

Fastener Options



Fastenator™ Hidden Fasteners



Step-Clip® for Kebony



Pro Plug® System for Kebony



Face Fastened





Docks and Boardwalks

Scan for more product info




Profile	Product Number	Product Name	Actual Dimensions	Lengths
5 1/2"	#2522	2x6 Square S4S E2E	1 ½" x 5 ½"	10′, 12′, 14′, 16′






Click-in Cladding™ System





Profile	Product Number	Product Name	Actual Dimensions	Lengths
5 11/16"	#2682	1x6 Clear Cladding Board	¹³ / ₁₆ " x 5 ¹¹ / ₁₆ "	10′, 12′, 14′, 16′





Kebony Character Cladding

Scan for more product info



Profile	Product Number	Product Name	Actual Dimensions	Lengths
- 148 mm	#2216	1x6 Character 90 Degree Shiplap	21 x 148 mm	3.2m, 3.5m, 3.8m, 4.1m, 5.0m, 5.3m

Slats

Profile	Product Number	Product Name	Actual Dimensions	Lengths
1 × 2 11/28" 1 1 1/2"	#2480	2x3 Clear Beam S4S E4E	1 ½" x 2 ½"	10', 12', 14', 16'



Mill Run Rough Sawn

Scan for more product info



Used for milling custom profiles, site furnishings, or millwork applications.

Profile	Product Number	Product Name	Rough Dimensions	Lengths
73 mm	#2535	1x4 Mill Run Rough Sawn	1" x 4"	*Up to 16'
	#1935	1x6 Mill Run Rough Sawn	1" x 6"	*Up to 16'
1- 8°	#1931	1x8 Mill Run Rough Sawn	1" x 8"	*Up to 16'
2*	#2423	2x4 Mill Run Rough Sawn	2" x 4"	*Up to 16'
1	#2489	2x6 Mill Run Rough Sawn	2" x 6"	*Up to 16'
1·····································	#2537	2x8 Mill Run Rough Sawn	2" x 8"	*Up to 16'

*Lengths vary based on availability

Some dimensions are special order. Rough sawn products are not considered a finished product and will have variations in grade, exact dimensions, and surface roughness across the board. Milling, sanding or planing is highly recommended.

Performance

Appearance

All Kebony woods have a deep brown color that will turn to a silver-gray patina over time. The speed of this graying process depends on the intensity of exposure to environmental elements like the sun and rain combined with the type of application.






Durability, Hardness & Maximum Movement

Wood species	Durability 1=best EN 350	Hardness Janka (lbf)	Swelling Dry to wet in tangential direction (%)
lpe	1	3510	6
Kebony Clear RAP	1	1618	4
Teak	1	1070	3 - 4
Thermo Ash	1 - 2	900	5
Kebony Character	1 - 2*	630	6
Thermo Pine	2	600	4
Western Red Cedar	2 - 3	350	5

^{*}Heartwood





www.kebony.us

For more projects visit www.kebony.com/projects







